



Invoice Automation for Infor SunSystems

Uninstall Guide

8th August 2018

Contents

Introduction	. 3
Uninstalling the Server Components	4
Remove the Services	5
Remove other configuration files	7
Cleanse the server registry	8
Database Management	9
Uninstalling the Client Components	10
Cleanse the client registry	12

Introduction

Intended for experienced Infor and V1 engineers, this is a guide for un-installing Invoice Automation for Infor SunSystems.

This is quite time consuming and shouldn't be taken lightly / attempted by anyone except an I.T department or Consultant.

You are encouraged to bookmark the Portal which is regularly updated with information about the release:

http://support.wearev1.com/software/Sun

Uninstalling the Server Components

In the unlikely event that the server components need to be un-installed from V1 Installation Server, the following step-by-step procedure will remove them.

NOTE: The following is permanent and non-recoverable, V1 and Infor take no responsibility for loss of data.

Assumptions:

► The installation is in C:\V1Home

Remove the Services

NOTE: Do not copy and paste these commands from this document, enter them manually to ensure no issues with formatting.

Open a CMD prompt as an administrative user and issue the following:

```
cd /d c:\v1\DbFax\bin
dbcsfaxserver.exe -remove
Press enter
cd /d c:\v1\DbArchive
CacheClean.exe -remove
Press enter
cd /d c:\v1\DbArchive
DbCSArchiveServer.exe -name DbCSArchiveServer-31417 -remove
Press enter
cd /d c:\v1\DbArchive
DbCSArchiveServer.exe -name DbCSArchiveServer-31418 -remove
Press enter
cd /d c:\v1\DbCapture\ABBYY\Bin
LicensingService.exe /uninstall
Press enter
cd /d c:\v1\DbCapBackground
DbCSCaptureServer.exe -remove
Press enter
cd /d c:\v1\DbCapBackground
DbCSCaptureServerExport.exe -remove
Press enter
cd /d c:\v1\DbCapture\DbCaptureFileWatcher\
DbCapturePDFFileWatcher.exe -remove
Press enter
cd /d c:\v1\DbCapture\DbCapComms
DbCapComms.exe -name DbCapComms-31450 -remove
Press enter
cd /d c:\v1\DbCapture\DbCapComms
DbCapComms.exe -name DbCapComms-31451 -remove
Press enter
cd /d c:\v1\DbCapture\DbCapComms
DbCapComms.exe -name DbCapComms-31452 -remove
Press enter
cd /d c:\v1\DbCapture\DbCapBackground
DbCSCaptureServer.exe -name DbCSCaptureServer -remove
Press enter
cd /d c:\v1\DbCapture\DbCapBackground
DbCSCaptureServer.exe -name DbCSCaptureServerExport -remove
Press enter
```

Using Control Panel > Programs and Features, remove the following:

- V1 Arch Json Server
- V1 Integration Server
- V1 Smart Mail
- V1 Web Portal
- DbCapture Background
- DbCapture Comms
- DbCapture Util

Remove other configuration files

Delete the c:\Windows\DbMail.ini file

- If the DbFax Module has been licensed for:
 - Delete the c:\Windows\DbFax.ini file

You can now safely delete the C:\V1 directory.

Cleanse the server registry

If 32-bit:

Remove the HKEY_LOCAL_MACHINE\SOFTWARE\\V1 Remove the HKEY_LOCAL_MACHINE\SOFTWARE\V1 Limited key Remove the HKEY_LOCAL_MACHINE\SOFTWARE\Version One key Remove the HKEY_LOCAL_MACHINE\SOFTWARE\SunIntegration

If 64-bit:

Remove the HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\V1 Remove the HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\V1 Limited key Remove the HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Version One key Remove the HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\SunIntegration

Database Management

There is 1 database for DbArchive and 1 database for DbCapture:

🖃 🚞 Dat	tabases	
+ 🚞	System Dat	abases
+ 🚞	Database Sr	napshots
H 📋	DbArchive	
🗉 🧻	DbCapture	

Now the services are removed, they are effectively unlocked and can be dropped.

NOTE: Dropping the databases will permanently remove the images / data stored therein.

Infor and V1 take no responsibility for accidental loss of data.

It is highly recommended to take backups of these databases prior to them being dropped from the instance in case at a later date it needs to be restored.

Uninstalling the Client Components

In the unlikely event that the client components need to be un-installed, the following step-bystep procedure will cleanly remove them.

Assumptions:

- ► The client installation is in c:\Program Files (x86)\v1 directory
- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall 'Version One Documentation (version 2.2B)'

Where client = DbLogin Admin Console

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall 'DbLogin Admin Console'
- ► Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbLogin Admin Console folder
- Remove the HKEY_CURRENT_USER\Software\VB and VBA Program Settings\DbLogin Admin key from the registry

Where client = DbFax Client

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall 'DbFax Client'
- ► Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbFax Client folder
- Remove the HKEY_CURRENT_USER\Software\Version One\DbFax and HKEY_CURRENT_USER\Software\VB and VBA Program Settings\dbclient keys from the registry

Where client = DbArchive Index Manager

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall 'DbMail Client'
- ▶ Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbMail Client folder
- Remove the HKEY_CURRENT_USER\Software\Version One\ HKEY_CURRENT_USER\Software\Version One\DbArchiveIndexManager

key from the registry

Where client = DbDeposit Client

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall DbDeposit Client
- Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbDeposit Client folder
- Remove the HKEY_CURRENT_USER\Software\Version One\DbDeposit key from the registry

Where client = BLOB Type Manager

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall DbDeposit Client
- ▶ Navigate to the c:\Program Files (x86)\v1 folder
- Remove the Blob Type Manager folder

Where client = DbScanner

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall DbScanner
- Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbScanner folder
- Remove the HKEY_CURRENT_USER\Software\Version One\DbScanner key from the registry

Where client = DbCapture Admin Client

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall 'DbLogin Admin Console'
- ▶ Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbLogin Admin Console folder
- Remove the HKEY_CURRENT_USER\Software\VB and VBA Program Settings\DbLogin Admin key from the registry

Where client = DbCapture Interactive Client

- Go to Add / Remove Programs / Programs and Features
- Right click and uninstall 'DbFax Client'
- Navigate to the c:\Program Files (x86)\v1 folder
- Remove the DbFax Client folder
- Remove the HKEY_CURRENT_USER\Software\Version One\DbFax and HKEY_CURRENT_USER\Software\VB and VBA Program Settings\dbclient keys from the registry

Cleanse the client registry

Remove the HKEY_CURRENT_USER\Software\V1 Limited key

Remove the HKEY_CURRENT_USER\Software\VB and VBA Program Settings\dbclient key Remove the HKEY_CURRENT_USER\Software\VB and VBA Program Settings\DbConsole key

Remove the HKEY_CURRENT_USER\Software\Version One key

Remove the HKEY_CURRENT_USER\Software\Version One Ltd. key